

Child Survival Score Card: Uttar Pradesh (AHS Survey Data) - 2011-12

High Priority Districts are highlighted in red

| Indicators | | Agra | Aligarh | Allahabad | Ambedkar Nagar | Auraiya | Azamgarh | Baghpat | Bahraich | Ballia | Balrampur | Banda | Barabanki | Bareilly | Basti | Bijnor | Budaun | Bulandshahr | |
|--|---|--|-----------|-----------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|-----------|
| Outcomes | Mortality | Under-five mortality rate (AHS 2011-12) | 70.0 | 89.0 | 112.0 | 81.0 | 85.0 | 90.0 | 73.0 | 100.0 | 84.0 | 123.0 | 91.0 | 96.0 | 105.0 | 106.0 | 77.0 | 109.0 | 92.0 |
| | | Infant mortality rate (AHS 2011-12) | 53.0 | 72.0 | 87.0 | 67.0 | 58.0 | 75.0 | 54.0 | 65.0 | 69.0 | 89.0 | 55.0 | 71.0 | 78.0 | 81.0 | 60.0 | 88.0 | 68.0 |
| | | Neonatal mortality rate (AHS 2011-12) | 36.0 | 50.0 | 64.0 | 49.0 | 41.0 | 57.0 | 36.0 | 44.0 | 52.0 | 61.0 | 34.0 | 55.0 | 51.0 | 60.0 | 45.0 | 64.0 | 47.0 |
| | | Post Neonatal mortality rate (AHS 2011-12) | 17.0 | 22.0 | 23.0 | 17.0 | 17.0 | 18.0 | 18.0 | 22.0 | 17.0 | 28.0 | 22.0 | 16.0 | 27.0 | 21.0 | 15.0 | 24.0 | 21.0 |
| | | Maternal mortality ratio (AHS 2011-12)* | 167 | 314 | 366 | 437 | 250 | 345 | 203 | 367 | 345 | 367 | 287 | 437 | 331 | 403 | 282 | 331 | 203 |
| | Fertility | Total Fertility Rate (AHS 2011-12) | 3.2 | 3.9 | 3.4 | 3.2 | 3.5 | 3.1 | 3.2 | 5.0 | 3.1 | 5.2 | 4.2 | 4.0 | 3.8 | 3.5 | 3.3 | 4.9 | 3.8 |
| | Nutrition | Newborns with birth weight less than 2.5 kg (AHS 2011-12) | 27.9 | 42.0 | 23.6 | 21.5 | 15.6 | 15.8 | 32.9 | 23.0 | 22.2 | 14.0 | 28.7 | 27.6 | 27.9 | 15.1 | 38.3 | 38.4 | 32.5 |
| Gender | Child sex ratio 0-4 years (AHS 2011-12) | 809 | 984 | 963 | 937 | 877 | 908 | 870 | 963 | 866 | 944 | 896 | 923 | 941 | 900 | 889 | 922 | 918 | |
| Adequate Coverage | Cross cutting | Full Immunization Coverage (AHS 2011-12) | 33.4 | 43.8 | 53.7 | 64.9 | 42.1 | 56.3 | 70.2 | 21.6 | 68.9 | 37.5 | 34.1 | 37.7 | 40.1 | 66.9 | 59.8 | 25.7 | 42.0 |
| | | Household having access to toilet facility (AHS 2010-11)** | 81.0 | 40.1 | 40.6 | 24.5 | 24.7 | 25.5 | 57.0 | 12.3 | 22.5 | 14.8 | 24.2 | 13.9 | 32.5 | 22.5 | 42.2 | 20.0 | 38.2 |
| | | Household access to improved drinking water (AHS 10-11)** | 91.9 | 99.4 | 90.5 | 99.9 | 94.8 | 99.8 | 99.9 | 97.3 | 99.4 | 97.6 | 96.0 | 96.2 | 99.9 | 99.8 | 99.8 | 99.5 | 99.7 |
| | | Unmet need of family planning (AHS 2011-12) | 16.1 | 24.9 | 16.7 | 21.0 | 19.4 | 24.6 | 16.4 | 42.0 | 18.3 | 28.8 | 26.5 | 30.1 | 24.7 | 19.2 | 24.4 | 30.1 | 23.7 |
| | Diarrhoea | Suffering from Diarrhoea who received HAF/ORS/ORT | 68.7 | 65.0 | 85.9 | 93.1 | 90.5 | 75.7 | 81.4 | 90.6 | 79.9 | 79.7 | 89.2 | 87.2 | 82.4 | 90.1 | 82.7 | 66.4 | 80.3 |
| | Pneumonia | Care seeking for ARI in any health facility (AHS 2011-12)*** | 27.8 | 17.3 | 9.7 | 7.0 | 13.1 | 12.5 | 28.4 | 14.2 | 10.9 | 21.2 | 14.3 | 17.0 | 38.1 | 15.6 | 28.3 | 45.8 | 25.3 |
| | Service delivery | Women who received 3+ ANC (AHS 2011-12) | 40.5 | 32.0 | 26.4 | 28.6 | 20.0 | 38.6 | 60.4 | 14.8 | 38.8 | 21.8 | 32.6 | 24.3 | 14.5 | 29.7 | 45.9 | 21.0 | 36.7 |
| | | Institutional delivery (AHS 2011-12) | 66.3 | 54.4 | 53.4 | 59.4 | 48.5 | 67.3 | 63.6 | 27.7 | 50.4 | 22.2 | 71.1 | 59.7 | 42.8 | 54.3 | 52.9 | 42.6 | 47.2 |
| | | Newborns checked within 24hrs (AHS 2011-12) | 72.5 | 82.1 | 91.5 | 73.0 | 67.8 | 78.3 | 87.8 | 81.2 | 75.8 | 85.9 | 68.5 | 64.4 | 59.3 | 87.6 | 71.2 | 53.0 | 85.1 |
| | | Mothers received care within 48hrs of delivery (AHS 2011-12) | 71.3 | 83.2 | 92.2 | 74.3 | 60.1 | 79.0 | 88.4 | 70.0 | 75.7 | 85.5 | 71.3 | 50.9 | 60.6 | 88.1 | 75.7 | 52.0 | 87.0 |
| | | Early Initiation of Breast Feeding (<1hr) (AHS 2011-12) | 34.3 | 27.1 | 36.0 | 36.9 | 42.7 | 25.9 | 38.5 | 35.7 | 30.6 | 18.3 | 75.1 | 66.5 | 29.6 | 28.2 | 21.5 | 14.6 | 25.4 |
| | | EBF for 6 months[6-35 months children] (AHS 2011-12) | 4.1 | 7.5 | 14.6 | 16.0 | 21.3 | 20.8 | 13.6 | 22.3 | 17.1 | 8.5 | 22.8 | 36.3 | 8.1 | 17.9 | 9.4 | 7.2 | 9.1 |
| | Overall Score | | 39 | 23 | 21 | 25 | 27 | 28 | 41 | 18 | 28 | 12 | 29 | 23 | 25 | 29 | 29 | 12 | 28 |
| Ranking as per Child Survival Scorecard AHS 11-12 | | 7 | 51 | 58 | 46 | 41 | 34 | 5 | 65 | 35 | 68 | 30 | 52 | 47 | 31 | 32 | 69 | 36 | |

Colour Codes:

Mortality Indicators, Nutrition, Fertility:

Green - Less than 20% of the State Average

Yellow - 20% below and above State Average

Red - More than 20% of the State Average

Other Indicators:

Green - More than 20% of the State average

Yellow - 20% below and above State Average

Red - Less than 20% of the State Average

Scoring pattern

Outcome indicators

Indicators in Green: score of +4

Indicators in Yellow: score of +2

Indicators in Red: score of 0

Adequate coverage indicators

Indicators in Green: score of +2

Indicators in Yellow: score of +1

Indicators in Red: score of 0

* Current MMR of UP as per SRS (Published by GoI on 13th Dec 2013) is 297; In this scorecard, as all other indicators are taken from AHS, hence MMR is also considered as 300 as per AHS

** These 2 indicators are not covered under AHS 2011-12, hence AHS 2010-11 data is considered for these indicators

Note : 1. Ranks have been allotted on the basis of 71 districts

Child Survival Score Card: Uttar Pradesh (AHS Survey Data) - 2011-12

High Priority Districts are highlighted in red

| Indicators | | Chandauli | Chitrakoot | Deoria | Etah | Etawah | Faizabad | Farrukhabad | Fatehpur | Firozabad | G B Nagar | Ghaziabad | Ghazipur | Gonda | Gorakhpur | Hamirpur | Hardoi | Hathras | |
|--|---|--|------------|-----------|-----------|-----------|-----------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----|
| Outcomes | Mortality | Under-five mortality rate (AHS 2011-12) | 103.0 | 122.0 | 86.0 | 90.0 | 83.0 | 124.0 | 97.0 | 79.0 | 85.0 | 69.0 | 63.0 | 96.0 | 96.0 | 81.0 | 63.0 | 115.0 | 82 |
| | | Infant mortality rate (AHS 2011-12) | 79.0 | 69.0 | 70.0 | 71.0 | 56.0 | 94.0 | 78.0 | 57.0 | 60.0 | 57.0 | 50.0 | 81.0 | 71.0 | 62.0 | 45.0 | 81.0 | 61 |
| | | Neonatal mortality rate (AHS 2011-12) | 58.0 | 48.0 | 55.0 | 51.0 | 41.0 | 70.0 | 55.0 | 37.0 | 38.0 | 36.0 | 33.0 | 67.0 | 54.0 | 46.0 | 26.0 | 53.0 | 40 |
| | | Post Neonatal mortality rate (AHS 2011-12) | 21.0 | 22.0 | 16.0 | 19.0 | 15.0 | 23.0 | 23.0 | 19.0 | 21.0 | 21.0 | 17.0 | 14.0 | 18.0 | 17.0 | 19.0 | 29.0 | 20 |
| | | Maternal mortality ratio (AHS 2011-12)* | 343 | 287 | 315 | 314 | 250 | 437 | 250 | 366 | 167 | 203 | 203 | 343 | 367 | 315 | 287 | 346 | 31 |
| | Fertility | Total Fertility Rate (AHS 2011-12) | 3.3 | 3.8 | 2.9 | 4.4 | 3.2 | 3.3 | 3.9 | 3.6 | 3.7 | 2.8 | 2.7 | 3.1 | 4.1 | 2.7 | 3.6 | 4.3 | 3. |
| | Nutrition | Newborns with birth weight less than 2.5 kg (AHS 2011-12) | 22.5 | 16.2 | 16.5 | 41.6 | 20.3 | 16.0 | 39.4 | 22.6 | 61.3 | 37.2 | 28.0 | 22.4 | 17.9 | 19.7 | 18.5 | 38.0 | 31 |
| Gender | Child sex ratio 0-4 years (AHS 2011-12) | 951 | 928 | 958 | 916 | 882 | 884 | 880 | 890 | 833 | 829 | 875 | 948 | 933 | 918 | 916 | 931 | 87 | |
| Adequate Coverage | Cross cutting | Full Immunization Coverage (AHS 2011-12) | 60.4 | 44.6 | 67.0 | 25.4 | 53.0 | 65.8 | 37.1 | 45.4 | 46.2 | 54.5 | 56.6 | 55.4 | 46.5 | 65.6 | 43.1 | 50.1 | 47 |
| | | Household having access to toilet facility (AHS 2010-11)** | 30.2 | 25.4 | 29.1 | 20.8 | 67.5 | 28.1 | 39.4 | 16.2 | 44.6 | 70.7 | 78.5 | 11.5 | 18.5 | 39.2 | 29.2 | 13.6 | 52 |
| | | Household access to improved drinking water (AHS 10-11)** | 87.5 | 92.1 | 100.0 | 98.6 | 97.7 | 99.3 | 99.7 | 91.6 | 99.8 | 100.0 | 95.3 | 96.5 | 99.7 | 98.8 | 98.9 | 91.6 | 99 |
| | | Unmet need of family planning (AHS 2011-12) | 14.8 | 21.0 | 26.4 | 26.9 | 25.2 | 16.9 | 29.2 | 20.1 | 20.2 | 15.6 | 18.5 | 17.9 | 36.0 | 15.6 | 17.1 | 34.1 | 22 |
| | Diarrhoea | Suffering from Diarrhoea who received HAF/ORS/ORT | 90.5 | 74.6 | 83.9 | 76.8 | 92.0 | 91.4 | 93.8 | 88.9 | 69.7 | 85.8 | 81.4 | 89.7 | 86.7 | 89.3 | 85.3 | 97.4 | 85 |
| | Pneumonia | Care seeking for ARI in any health facility (AHS 2011-12)*** | 15.0 | 15.8 | 5.5 | 61.9 | 11.2 | 13.9 | 2.9 | 13.2 | 42.0 | 20.8 | 27.5 | 19.2 | 9.9 | 11.6 | 11.6 | 5.2 | 25 |
| | Service delivery | Women who received 3+ ANC (AHS 2011-12) | 27.2 | 31.7 | 44.6 | 23.8 | 21.7 | 28.9 | 17.7 | 29.7 | 31.0 | 50.2 | 56.4 | 41.6 | 28.7 | 42.3 | 40.2 | 26.4 | 30 |
| | | Institutional delivery (AHS 2011-12) | 57.9 | 65.4 | 61.7 | 43.4 | 59.4 | 62.7 | 37.0 | 51.8 | 56.5 | 52.9 | 59.2 | 61.5 | 50.6 | 50.3 | 67.1 | 44.3 | 53 |
| | | Newborns checked within 24hrs (AHS 2011-12) | 87.4 | 70.9 | 82.5 | 54.1 | 59.3 | 88.4 | 48.7 | 59.2 | 62.1 | 81.9 | 77.8 | 85.4 | 58.3 | 86.6 | 66.2 | 46.3 | 69 |
| | | Mothers received care within 48hrs of delivery (AHS 2011-12) | 87.8 | 61.4 | 83.3 | 61.5 | 62.7 | 88.9 | 42.1 | 53.2 | 63.3 | 82.6 | 80.5 | 86.8 | 51.9 | 89.1 | 64.5 | 40.0 | 69 |
| Early Initiation of Breast Feeding (<1hr) (AHS 2011-12) | | 27.9 | 60.9 | 39.6 | 19.9 | 48.3 | 47.3 | 35.6 | 40.7 | 23.2 | 25.5 | 32.6 | 29.5 | 38.4 | 29.9 | 62.7 | 58.3 | 24 | |
| EBF for 6 months[6-35 months children] (AHS 2011-12) | 27.0 | 18.6 | 21.3 | 4.4 | 23.6 | 15.6 | 19.4 | 20.2 | 7.2 | 11.0 | 10.2 | 22.2 | 54.9 | 25.4 | 14.9 | 45.1 | 3. | | |
| Overall Score | | 31 | 28 | 31 | 19 | 33 | 26 | 19 | 25 | 30 | 33 | 41 | 30 | 23 | 37 | 38 | 17 | 28 | |
| Ranking as per Child Survival Scorecard AHS 11-12 | | 20 | 37 | 21 | 61 | 17 | 43 | 62 | 48 | 23 | 18 | 6 | 24 | 53 | 10 | 8 | 67 | 38 | |

Colour Codes:

Mortality Indicators, Nutrition, Fertility:

Green - Less than 20% of the State Average

Yellow - 20% below and above State Average

Red - More than 20% of the State Average

Other Indicators:

Green - More than 20% of the State average

Yellow - 20% below and above State Average

Red - Less than 20% of the State Average

Scoring pattern

Outcome indicators

Indicators in Green: score of +4

Indicators in Yellow: score of +2

Indicators in Red: score of 0

Adequate coverage indicators

Indicators in Green: score of +2

Indicators in Yellow: score of +1

Indicators in Red: score of 0

* Current MMR of UP as per SRS (Published by Gol on 13th Dec 2013) is 297; In this scorecard, as all other indicators are taken from AHS, hence MMR is also considered as 300 as per AHS

** These 2 indicators are not covered under AHS 2011-12, hence AHS 2010-11 data is considered for these indicators

Note : 1. Ranks have been allotted on the basis of 71 districts

Child Survival Score Card: Uttar Pradesh (AHS Survey Data) - 2011-12

High Priority Districts are highlighted in red

| Indicators | | Jalaun | Jaunpur | Jhansi | J P Nagar | Kannauj | Kanpur Dehat | Kanpur Nagar | Kaushambi | Kheri | Kushinagar | Lalitpur | Lucknow | Maharajan | Mahoba | Mainpuri | Mathura | Mau | |
|--|---|--|-----------|-----------|-----------|-----------|--------------|--------------|-----------|-----------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------|
| Outcomes | Mortality | Under-five mortality rate (AHS 2011-12) | 96.0 | 96.0 | 60.0 | 92.0 | 102.0 | 96.0 | 50.0 | 126.0 | 116.0 | 99.0 | 113.0 | 57.0 | 105.0 | 70.0 | 82.0 | 60.0 | 93.0 |
| | | Infant mortality rate (AHS 2011-12) | 66.0 | 76.0 | 42.0 | 73.0 | 81.0 | 65.0 | 37.0 | 83.0 | 78.0 | 80.0 | 72.0 | 44.0 | 84.0 | 47.0 | 54.0 | 45.0 | 76.0 |
| | | Neonatal mortality rate (AHS 2011-12) | 46.0 | 60.0 | 30.0 | 55.0 | 56.0 | 40.0 | 24.0 | 61.0 | 54.0 | 62.0 | 53.0 | 27.0 | 66.0 | 32.0 | 34.0 | 34.0 | 60.0 |
| | | Post Neonatal mortality rate (AHS 2011-12) | 20.0 | 16.0 | 11.0 | 19.0 | 25.0 | 25.0 | 12.0 | 22.0 | 24.0 | 19.0 | 19.0 | 17.0 | 18.0 | 15.0 | 20.0 | 12.0 | 17.0 |
| | | Maternal mortality ratio (AHS 2011-12)* | 207 | 343 | 207 | 282 | 250 | 250 | 250 | 366 | 346 | 315 | 207 | 346 | 315 | 287 | 167 | 167 | 345 |
| | Fertility | Total Fertility Rate (AHS 2011-12) | 3.2 | 2.9 | 2.4 | 3.7 | 3.4 | 3.0 | 2.2 | 4.0 | 3.9 | 3.4 | 3.5 | 2.3 | 3.2 | 3.6 | 3.6 | 3.1 | 2.8 |
| Nutrition | Newborns with birth weight less than 2.5 kg (AHS 2011-12) | 12.8 | 17.5 | 11.7 | 33.5 | 24.6 | 17.7 | 26.6 | 24.3 | 32.9 | 26.9 | 11.5 | 23.2 | 25.0 | 15.0 | 33.7 | 32.7 | 24.1 | |
| | Gender | Child sex ratio 0-4 years (AHS 2011-12) | 906 | 916 | 871 | 860 | 916 | 962 | 898 | 907 | 910 | 949 | 904 | 886 | 975 | 861 | 897 | 872 | 927 |
| Adequate Coverage | Cross cutting | Full Immunization Coverage (AHS 2011-12) | 50.0 | 59.5 | 71.8 | 45.8 | 38.2 | 58.2 | 53.5 | 46.9 | 31.9 | 60.3 | 48.9 | 64.4 | 59.1 | 62.3 | 46.9 | 32.0 | 52.9 |
| | | Household having access to toilet facility (AHS 2010-11)** | 59.4 | 23.2 | 79.6 | 26.6 | 26.4 | 8.1 | 71.4 | 13.4 | 17.2 | 18.0 | 59.2 | 77.8 | 18.1 | 44.2 | 25.2 | 65.2 | 45.2 |
| | | Household access to improved drinking water (AHS 10-11)** | 96.0 | 94.3 | 90.1 | 99.5 | 99.2 | 94.4 | 98.9 | 94.0 | 99.2 | 100.0 | 92.3 | 98.3 | 100.0 | 88.8 | 99.7 | 90.4 | 99.8 |
| | | Unmet need of family planning (AHS 2011-12) | 22.4 | 19.6 | 12.7 | 17.8 | 34.4 | 35.0 | 15.6 | 22.4 | 45.5 | 15.1 | 21.3 | 25.0 | 12.9 | 17.5 | 23.7 | 17.5 | 19.9 |
| | Diarrhoea | Suffering from Diarrhoea who received HAF/ORS/ORT | 94.1 | 81.3 | 83.9 | 77.2 | 89.8 | 87.6 | 95.2 | 86.1 | 91.2 | 87.4 | 84.6 | 91.7 | 88.6 | 81.4 | 94.5 | 87.4 | 79.5 |
| | Pneumonia | Care seeking for ARI in any health facility (AHS 2011-12)*** | 20.5 | 18.5 | 14.5 | 30.3 | 32.1 | 6.4 | 10.7 | 14.2 | 19.6 | 13.5 | 20.3 | 17.5 | 5.8 | 13.3 | 37.9 | 26.6 | 11.0 |
| | | Women who received 3+ ANC (AHS 2011-12) | 38.5 | 36.6 | 51.1 | 27.3 | 17.8 | 32.4 | 52.5 | 22.0 | 17.4 | 32.9 | 38.9 | 66.5 | 30.1 | 36.5 | 15.1 | 35.0 | 37.3 |
| | Service delivery | Institutional delivery (AHS 2011-12) | 61.4 | 50.7 | 76.0 | 52.2 | 50.8 | 51.6 | 61.0 | 52.1 | 45.4 | 48.6 | 73.4 | 74.4 | 43.9 | 68.3 | 44.7 | 56.7 | 61.5 |
| | | Newborns checked within 24hrs (AHS 2011-12) | 64.1 | 80.1 | 75.9 | 65.2 | 63.1 | 76.3 | 75.7 | 86.7 | 52.9 | 81.2 | 64.6 | 65.6 | 69.8 | 79.7 | 54.4 | 69.3 | 77.5 |
| | | Mothers received care within 48hrs of delivery (AHS 2011-12) | 61.1 | 80.7 | 75.5 | 68.4 | 63.0 | 72.1 | 69.0 | 87.8 | 45.0 | 86.4 | 64.5 | 61.5 | 74.7 | 73.0 | 56.5 | 70.5 | 77.7 |
| Early Initiation of Breast Feeding (<1hr) (AHS 2011-12) | | 60.3 | 35.6 | 70.5 | 31.6 | 29.8 | 49.2 | 50.2 | 26.8 | 52.9 | 23.4 | 62.0 | 47.1 | 32.1 | 68.4 | 31.1 | 27.7 | 30.6 | |
| EBF for 6 months[6-35 months children] (AHS 2011-12) | | 26.0 | 22.8 | 32.5 | 6.9 | 5.1 | 24.5 | 26.5 | 18.4 | 23.0 | 14.5 | 37.9 | 27.9 | 16.7 | 24.7 | 6.1 | 4.8 | 29.5 | |
| Overall Score | | 35 | 30 | 48 | 26 | 22 | 28 | 42 | 20 | 19 | 25 | 34 | 42 | 26 | 43 | 28 | 36 | 29 | |
| Ranking as per Child Survival Scorecard AHS 11-12 | | 12 | 25 | 1 | 44 | 56 | 39 | 3 | 60 | 63 | 49 | 14 | 4 | 45 | 2 | 40 | 11 | 33 | |

Colour Codes:

Mortality Indicators, Nutrition, Fertility:

Green - Less than 20% of the State Average

Yellow - 20% below and above State Average

Red - More than 20% of the State Average

Other Indicators:

Green - More than 20% of the State average

Yellow - 20% below and above State Average

Red - Less than 20% of the State Average

Scoring pattern

Outcome indicators

Indicators in Green: score of +4

Indicators in Yellow: score of +2

Indicators in Red: score of 0

Adequate coverage indicators

Indicators in Green: score of +2

Indicators in Yellow: score of +1

Indicators in Red: score of 0

* Current MMR of UP as per SRS (Published by GoI on 13th Dec 2013) is 297; In this scorecard, as all other indicators are taken from AHS, hence MMR is also considered as 300 as per AHS

** These 2 indicators are not covered under AHS 2011-12, hence AHS 2010-11 data is considered for these indicators

Note : 1. Ranks have been allotted on the basis of 71 districts

Child Survival Score Card: Uttar Pradesh (AHS Survey Data) - 2011-12

High Priority Districts are highlighted in red

| Indicators | | Meerut | Mirzapur | Moradabad | Muzaffarnagar | Pilibhit | Pratapgarh | Rae Bareli | Rampur | Saharanpur | Sant Kabir Nagar | S R Nagar (Bhadohi) | |
|--|---|--|-----------|-----------|---------------|-----------|------------|------------|-----------|------------|------------------|---------------------|-------|
| Outcomes | Mortality | Under-five mortality rate (AHS 2011-12) | 62.0 | 110.0 | 83.0 | 74.0 | 95.0 | 109.0 | 78.0 | 91.0 | 103.0 | 93.0 | 107.0 |
| | | Infant mortality rate (AHS 2011-12) | 52.0 | 81.0 | 65.0 | 55.0 | 74.0 | 85.0 | 53.0 | 64.0 | 79.0 | 62.0 | 81.0 |
| | | Neonatal mortality rate (AHS 2011-12) | 33.0 | 59.0 | 46.0 | 39.0 | 53.0 | 63.0 | 33.0 | 47.0 | 57.0 | 48.0 | 59.0 |
| | | Post Neonatal mortality rate (AHS 2011-12) | 19.0 | 22.0 | 19.0 | 16.0 | 21.0 | 21.0 | 19.0 | 16.0 | 22.0 | 14.0 | 22.0 |
| | | Maternal mortality ratio (AHS 2011-12)* | 203 | 237 | 282 | 234 | 331 | 366 | 346 | 282 | 234 | 403 | 237 |
| | Fertility | Total Fertility Rate (AHS 2011-12) | 3.3 | 2.8 | 3.8 | 3.5 | 3.8 | 3.1 | 3.3 | 3.8 | 3.4 | 3.9 | 3.0 |
| | Nutrition | Newborns with birth weight less than 2.5 kg (AHS 2011-12) | 32.9 | 19.3 | 27.0 | 30.8 | 31.0 | 17.1 | 22.4 | 32.2 | 33.4 | 14.7 | 23.9 |
| Gender | Child sex ratio 0-4 years (AHS 2011-12) | 864 | 881 | 940 | 861 | 932 | 1003 | 912 | 919 | 917 | 985 | 910 | |
| Adequate Coverage | Cross cutting | Full Immunization Coverage (AHS 2011-12) | 50.8 | 44.5 | 38.4 | 48.4 | 44.1 | 64.9 | 41.5 | 53.2 | 72.2 | 58.0 | 43.3 |
| | | Household having access to toilet facility (AHS 2010-11)** | 67.8 | 35.0 | 37.6 | 51.2 | 21.1 | 21.2 | 33.6 | 31.9 | 63.2 | 26.5 | 38.1 |
| | | Household access to improved drinking water (AHS 10-11)** | 100.0 | 83.1 | 100.0 | 99.8 | 99.9 | 89.6 | 94.1 | 98.9 | 99.5 | 99.9 | 80.1 |
| | | Unmet need of family planning (AHS 2011-12) | 25.8 | 25.4 | 24.9 | 28.3 | 24.8 | 28.3 | 41.5 | 33.7 | 21.2 | 28.1 | 26.5 |
| | Diarrhoea | Suffering from Diarrhoea who received HAF/ORS/ORT | 67.1 | 86.9 | 91.4 | 83.3 | 81.0 | 68.7 | 92.5 | 93.3 | 77.0 | 71.0 | 64.2 |
| | Pneumonia | Care seeking for ARI in any health facility (AHS 2011-12)*** | 27.3 | 14.8 | 38.6 | 44.6 | 40.8 | 9.9 | 12.9 | 45.1 | 32.2 | 20.0 | 9.6 |
| | Service delivery | Women who received 3+ ANC (AHS 2011-12) | 52.4 | 27.9 | 35.0 | 45.4 | 19.9 | 25.5 | 29.2 | 32.8 | 42.6 | 30.4 | 29.3 |
| | | Institutional delivery (AHS 2011-12) | 49.9 | 47.3 | 42.5 | 50.4 | 37.1 | 55.4 | 66.0 | 49.7 | 55.7 | 47.8 | 54.0 |
| | | Newborns checked within 24hrs (AHS 2011-12) | 81.5 | 72.5 | 75.5 | 75.8 | 50.2 | 84.2 | 73.9 | 56.9 | 71.8 | 87.6 | 78.2 |
| | | Mothers received care within 48hrs of delivery (AHS 2011-12) | 84.6 | 75.2 | 74.9 | 75.0 | 51.3 | 85.1 | 70.5 | 57.3 | 72.5 | 86.9 | 78.7 |
| | | Early Initiation of Breast Feeding (<1hr) (AHS 2011-12) | 18.5 | 30.6 | 30.8 | 34.6 | 23.5 | 40.8 | 61.0 | 24.0 | 25.5 | 26.5 | 43.9 |
| EBF for 6 months[6-35 months children] (AHS 2011-12) | | 9.4 | 11.2 | 5.1 | 25.3 | 20.8 | 19.2 | 49.8 | 6.3 | 17.2 | 12.0 | 24.5 | |
| Overall Score | | 34 | 30 | 27 | 38 | 23 | 22 | 33 | 23 | 31 | 30 | 30 | |
| Ranking as per Child Survival Scorecard AHS 11-12 | | 15 | 26 | 42 | 9 | 54 | 57 | 19 | 55 | 22 | 27 | 28 | |

Colour Codes:

Mortality Indicators, Nutrition, Fertility:

Green - Less than 20% of the State Average

Yellow - 20% below and above State Average

Red - More than 20% of the State Average

Other Indicators:

Green - More than 20% of the State average

Yellow - 20% below and above State Average

Red - Less than 20% of the State Average

Scoring pattern

Outcome indicators

Indicators in Green: score of +4

Indicators in Yellow: score of +2

Indicators in Red: score of 0

Adequate coverage indicators

Indicators in Green: score of +2

Indicators in Yellow: score of +1

Indicators in Red: score of 0

* Current MMR of UP as per SRS (Published by GoI on 13th Dec 2013) is 297; In this scorecard, as all other indicators are taken from AHS, hence MMR is also considered as 300 as per AHS

** These 2 indicators are not covered under AHS 2011-12, hence AHS 2010-11 data is considered for these indicators

Note : 1. Ranks have been allotted on the basis of 71 districts

Child Survival Score Card: Uttar Pradesh (AHS Survey Data) - 2011-12

High Priority Districts are highlighted in red

| Indicators | | Shahjahan pur | Shrawasti | Siddharth nagar | Sitapur | Sonbhadra | Sultanpur | Unnao | Varanasi | Kashiram nagar | |
|--|---|--|-----------|-----------------|-----------|-----------|-----------|-----------|-----------|----------------|------|
| Outcomes | Mortality | Under-five mortality rate (AHS 2011-12) | 101.0 | 135.0 | 118.0 | 116.0 | 99.0 | 67.0 | 83.0 | 97.0 | 90.0 |
| | | Infant mortality rate (AHS 2011-12) | 82.0 | 100.0 | 87.0 | 80.0 | 68.0 | 46.0 | 58.0 | 76.0 | 71.0 |
| | | Neonatal mortality rate (AHS 2011-12) | 58.0 | 70.0 | 69.0 | 54.0 | 49.0 | 30.0 | 36.0 | 54.0 | 51.0 |
| | | Post Neonatal mortality rate (AHS 2011-12) | 24.0 | 30.0 | 18.0 | 26.0 | 19.0 | 17.0 | 21.0 | 22.0 | 19.0 |
| | | Maternal mortality ratio (AHS 2011-12)* | 331 | 367 | 403 | 346 | 237 | 437 | 346 | 343 | 314 |
| | Fertility | Total Fertility Rate (AHS 2011-12) | 4.4 | 5.8 | 4.9 | 4.4 | 3.8 | 3.1 | 3.2 | 2.5 | 4.4 |
| | Nutrition | Newborns with birth weight less than 2.5 kg (AHS 2011-12) | 27.4 | 21.3 | 23.5 | 31.2 | 20.4 | 16.4 | 27.8 | 23.5 | 41.6 |
| Gender | Child sex ratio 0-4 years (AHS 2011-12) | 917 | 900 | 950 | 982 | 945 | 940 | 928 | 850 | 916 | |
| Adequate Coverage | Cross cutting | Full Immunization Coverage (AHS 2011-12) | 28.0 | 26.9 | 52.0 | 28.1 | 31.5 | 37.7 | 61.3 | 64.2 | 25.4 |
| | | Household having access to toilet facility (AHS 2010-11)** | 18.7 | 8.1 | 18.9 | 12.4 | 25.9 | 33.8 | 18.4 | 62.4 | 20.8 |
| | | Household access to improved drinking water (AHS 10-11)** | 99.6 | 94.8 | 99.9 | 96.9 | 80.8 | 89.9 | 95.5 | 92.0 | 98.6 |
| | | Unmet need of family planning (AHS 2011-12) | 32.1 | 28.8 | 27.2 | 45.9 | 26.0 | 48.1 | 34.8 | 16.6 | 26.9 |
| | Diarrhoea | Suffering from Diarrhoea who received HAF/ORS/ORT | 77.9 | 70.0 | 90.9 | 96.1 | 79.1 | 97.8 | 95.8 | 92.4 | 76.8 |
| | Pneumonia | Care seeking for ARI in any health facility (AHS 2011-12)*** | 47.9 | 8.3 | 8.2 | 14.1 | 13.9 | 12.4 | 7.4 | 13.1 | 61.9 |
| | Service delivery | Women who received 3+ ANC (AHS 2011-12) | 15.3 | 13.8 | 18.3 | 27.0 | 24.7 | 33.5 | 50.3 | 42.9 | 23.8 |
| | | Institutional delivery (AHS 2011-12) | 34.9 | 27.2 | 26.0 | 46.9 | 29.5 | 64.0 | 55.5 | 64.8 | 43.4 |
| | | Newborns checked within 24hrs (AHS 2011-12) | 60.4 | 92.2 | 76.5 | 57.4 | 45.6 | 74.8 | 63.1 | 89.0 | 54.1 |
| | | Mothers received care within 48hrs of delivery (AHS 2011-12) | 61.1 | 93.2 | 77.2 | 61.7 | 49.3 | 77.7 | 62.9 | 89.0 | 61.5 |
| | | Early Initiation of Breast Feeding (<1hr) (AHS 2011-12) | 32.6 | 14.1 | 22.6 | 49.5 | 21.9 | 62.1 | 47.0 | 27.5 | 19.9 |
| EBF for 6 months[6-35 months children] (AHS 2011-12) | | 6.1 | 12.2 | 10.3 | 23.2 | 15.9 | 24.5 | 22.3 | 16.5 | 4.4 | |
| Overall Score | | 21 | 11 | 12 | 18 | 24 | 34 | 30 | 35 | 19 | |
| Ranking as per Child Survival Scorecard AHS 11-12 | | 59 | 71 | 70 | 66 | 50 | 16 | 29 | 13 | 64 | |

Colour Codes:

Mortality Indicators, Nutrition, Fertility:

Green - Less than 20% of the State Average

Yellow - 20% below and above State Average

Red - More than 20% of the State Average

Other Indicators:

Green - More than 20% of the State average

Yellow - 20% below and above State Average

Red - Less than 20% of the State Average

Scoring pattern

Outcome indicators

Indicators in Green: score of +4

Indicators in Yellow: score of +2

Indicators in Red: score of 0

Adequate coverage indicators

Indicators in Green: score of +2

Indicators in Yellow: score of +1

Indicators in Red: score of 0

* Current MMR of UP as per SRS (Published by GoI on 13th Dec 2013) is 297; In this scorecard, as all other indicators are taken from AHS, hence MMR is also considered as 300 as per AHS

** These 2 indicators are not covered under AHS 2011-12, hence AHS 2010-11 data is considered for these indicators

Note : 1. Ranks have been allotted on the basis of 71 districts