



HMIS Bulletin - Sant Kabir Nagar

Volume - 2, FY 2016-17 April-March 2016-17 - As on 12th April

National Health Mission

Government of Uttar Pradesh



**Prepared By : MIS Division
State Program Management Unit, Uttar Pradesh.**

HMIS
(National Health Mission Bulletin)
Sant Kabir Nagar - Uttar Pradesh



Volume - 2, FY 2016-17 April-March 2016-17 - As on 12th April

S. No	Sections
1	District Profile
2	District Summary sheet
3	MCTS status
4	HMIS Data Uploading and Forwarding status
5	Maternal Health
5.1	Antenatal Care
5.2	Delivery & Postnatal care
5.3	High risk pregnancy and obstetric complications
5.4	C Section and Complications attended and treated
6	Child health
6.1	Live Births & New Born Care
6.2	Child Immunization
7	Reproductive Health
8	Indicators and Estimations
8.1	List of Indicators covered
8.2	Estimation sheet

Sant Kabir Nagar - Percent of facilities reported in HMIS by Month, FY 2016-17

Block	Total No. of Facilities	Apr-16	May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17
DHQ	2	100	100	100	100	100	100	100	100	100	100	100	100
Bghouli	26	100	100	100	100	100	100	100	96	100	100	100	96
Haisar Bazar	25	100	100	100	100	100	100	100	96	100	100	100	100
Khililabad	43	100	100	100	100	100	100	100	63	100	100	100	93
Mehadawal	24	100	100	100	100	100	100	100	100	100	100	100	100
Nathnagar	30	100	100	100	100	97	100	100	97	100	100	100	100
Semariyawa	29	100	100	100	100	100	100	100	100	100	100	100	100
Santha	23	100	100	100	100	100	100	100	100	100	100	100	100
Pouli	14	100	100	100	100	100	100	100	100	100	100	100	100
Belaharkala	16	100	100	100	100	100	100	100	100	100	100	100	100
Grand Total	232	100	100	100	100	100	100	100	92	100	100	100	98

Less than 100%
More than 100%



Note- The HMIS data forwarding is not happening from blocks to district

Sant Kabir Nagar Profile

District S K Nagar(*AHS 2012-13)	IMR	NMR	USMR	MMR	TFR	CBR	Unmet need	Unmet need for
	65	49	91	304	3.8	30.4	14	15.6


S.no.	Block	Demographic Profile			Infrastructure							Delivery Points			Human resource					Training		
		Total Population (Census 2011)	Sex ratio	Literacy rate	No. of Gram Panchayat	No. of Revenue Village	No. of VHSNC formed	CHC	PHC	SC	AWCs	L1	L2	L3	Medical officers(AYUSH)	Medical officers(MBBS)	SN in block	# ANMs	#AWW	#ASHAs	Trained in SBA	Trained in NSSK
1	Bghouli	226,369	1173	68	80				3	22	203	5	1				23	203	180			5
2	Haisar Bazar	213,333	1173	68	112	194	112	1	1	21	200	8	1	1	5	7	28	200	190			8
3	Khililabad	294,317	1173	68	109	212	109	2	2	23	251	12	2	1	4	8	31	251	183			21
4	Mehadawal	206,933	1173	68	67	150	67	1	2	21	181	7	1	1			19	181	122			8
5	Nathnagar	231,515	1173	68	100				2	24	171	6	1				24	171	190			2
6	Samriwa	263,337	1173	68	113	182	113	1	3	25	229	7	1		5	7	30	229	242			4
7	Santha	164,674	1173	68	63				4	19	214	5	3				21	214	200			
8	Belaharkala	144,753	1173	68	60	126	60				16	145	5		1		20	145	150			
9	Pauli	116,439	1173	68	47				2	12	124	3	2				18	124	150			

Volume - 2, FY 2016-17 April-March 2016-17 - As on 12th April


District at a Glance- April-March 2016-17




Ante Natal care (ANC)




Delivery care



Child care and Immunization



Fammily Planning



Sant Kabir Nagar - FY 2016-17 April-March 2016-17

Summary Sheet



HMIS Bulletin is prepared based on the HMIS data (cumulative) and MCTS data on monthly basis. Key RMNCH+A indicators such as family welfare, child immunization, maternal and child care programs are included in the bulletin to highlight the major gaps.

Family Planning:

- Female sterilization has been conducted in 5 blocks except Bghouli, Semariyawa, and Pouli.
- Proper counselling for Spacing method need to be given to the beneficiaries by the FLWs to improve the uptake for same by the expected no. of beneficiaries.
- Only 9% of IUCD insertion is done at PHC level which is very low, Need of PHC strengthening to improve the services. Majority of IUCD insertions are taking place in Subcenters.
- Only 13% of total family planning services provided in the district.
- The achievement for spacing method is 49% in the district. Santha and Pouli blocks are performing better in terms of spacing method of family planning.

Ante Natal Care

- ANC registration of dist. is 83% although AHS 2012-13 showing ANC registration 58.9%. It shows there is improvement in the ANC registration for pregnant women.
- ANC Registration in 1st trim. is 43% which is reported approx equal to AHS 12-13 i.e. 38.2%. The ANC registration in first trimester is very poor for Nathnagar and Belharkala i.e. 37% and 27% respectively.
- % of ANC received 3 ANC checkups is 57% which is more than that of AHS 12-13 (31.8%). 89% of ANC checkups are conducted at SC level.

Maternal Health and delivery

- Treatment of severe anaemic pregnant women is less than 1% for the district whereas 5 blocks are not reporting. In Belharkala, There is no Block PHC/CHC. So there high risk pregnant women could not be treated.
- Hypertensive cases are very less reported in all blocks except Semariyawa. Only 6% of pregnant women with hypertension are reported for the district.
- 72% deliveries reported against the total estimated deliveries, 28% of deliveries are missing which need to be checked. Home delivery reporting is only 12% which indicates the reporting of Home delivery at subcenter level is poor. As there is no L2 and L3 facilities in Belharkala, Most of the deliveries of these blocks are happening in other near blocks such as Baghauhi and Mehdawal which apparently increasing the % of missing deliveries for same, 72% of deliveries are missing in Belharkala.
- 84% deliveries are reported as institutional out of total deliveries and 57% among estimated delivery which is approximately near to AHS 2012-13 reported 53.6%.
- 67% mothers discharge under 48 hrs of delivery in district and it is due to the reason that most of the deliveries are being conducted at Sub centers.
- JSY payment is 80% of the district. Pouli and DHQ have done very less JSY payment to the beneficiaries which are lowest among all blocks, it is decreasing the average of the district as whole.

Immunization Services:




- According to HMIS report 74% of children are fully immunized.
- No. of Live births and BCG given not corresponding in most of the blocks as per the table and reporting approx. greater than live births. It signals that there may be less no. of live births reported in these blocks. Therefore strengthening of reporting live births especially home deliveries need to be addressed as reporting of home deliveries is only 10% for the district.
- The % of OPV 0 dose is 33% of the district, lowest being in Belharkala and Pauli i.e. 0 and 4 respectively. Usually BCG, OPV0 and Hepatitis B0 doses are given at birth time but reporting shows all three are not given at the time of birth even at DH and CHCs, it is showing service gap at facility and need for focussed monitoring.

MCTS Status :

- The mother registration in MCTS is 80% and in HMIS it is 83%. Clearly it shows that the registration in MCTS is less than HMIS. Among the blocks Pouli and Nathnagar are poor performing for mother registration.
- The child registration in MCTS is 69% and in HMIS it is 78%. All blocks are poorly performing for child registration except for Haisar bazar and Santha.
- According to the MCTS portal the updation for 3 ANC is 51%. The updation for Belharkala and Nathnagar for same is very poor i.e. 26% and 30% respectively.
- According to the MCTS portal the full immunization is only 65%.
- In spite of regular VHNDs at subcenter level, Only 45% pregnant women received 3 ANC checkups against total registered pregnant women, whereas according to AHS 2012-13, the 3 ANC checkups is 32%. Belharkala, Semariyawa and Nathnagar need to improve as they are poor for 3 ANC checkups.

Sant Kabir Nagar

- MCTS Status on critical indicator as on 1st April 2017 Registration and Update





Block	% of Mother Registration- HMIS	% of Mother Registration- MCTS	% of Children Registration- HMIS	% of Children Registration- MCTS	% PW received 3 ANCs against PW registered with LMP in 2015-16	% PW delivered against PW registered with LMP in 2015-16	% children received full immunization against children registered with DoB in 2015-16	% HRP against PW registered in 2016-17
Bghouli	78	78	81	68	52	37	43	3
Belaharkala	82	86	32	63	39	31	76	3
Haisar Bazar	95	97	77	82	64	64	80	2
Khililabad	76	71	91	64	46	33	62	2
Mehadawal	78	85	80	69	46	48	66	2
Nathnagar	75	61	70	51	31	37	74	3
Pouli	87	74	72	83	69	54	37	5
Semariyawa	96	84	106	68	54	56	85	3
Santha	103	89	84	83	60	64	60	4
Grand total	83	80	78	69	51	48	65	3

The mother registration in MCTS is 80% and in HMIS it is 83%. Clearly it shows that the registration in MCTS is less than HMIS. Among the blocks Pouli and Nathnagar are poor performing for mother registration.

The child registration in MCTS is 69% and in HMIS it is 78%. All blocks are poorly performing for child registration except for Haisar bazar and Santha. According to the MCTS portal the updation for 3 ANC is 51%. The updation for Belharkala and Nathnagar for same is very poor i.e 26% and 30% respectively. According to the MCTS portal the full immunization is only 65%.

In spite of regular VHNDs at subcenter level, Only 45% pregnant women received 3 ANC checkups against total registered pregnant women, whereas according to AHS 2012-13, the 3 ANC checkups is 32%. Belharkala, Semariyawa and Nathnagar need to improve as they are poor for 3 ANC checkups.




Block	Proportionate estimated PW	Total number of pregnant women Registered for ANC	% of ANC registered to estimated Pregnancy	Of which Number registered within first trimester	% of ANC registered within 1st trimester	TT2 or Booster	% of ANC received TT2/Booster	Number of pregnant women received 3 ANC check ups	% of ANC received 3ANC checkups
DHQ	1585	627	40	391	62	545	34.4	432	27.3
Bghouli	6773	5316	78	2199	41	4874	72.0	3957	58.4
Haisar Bazar	6383	6040	95	3054	51	4753	74	5971	94
Khililabad	8806	6657	76	3202	48	5757	65	4409	50
Mehadawal	6191	4800	78	1955	41	4083	66	3018	49
Nathnagar	6927	5191	75	2088	40	4151	60	2975	43
Semariyawa	7879	7557	96	3821	51	5549	70	4970	63
Santha	4927	5061	103	1696	34	4401	89	3287	67
Pouli	3484	3033	87	1126	37	2344	67	1677	48
Belaharkala	4331	3536	82	954	27	3359	78	1737	40
Grand total	57286	47818	83	20486	43	39816	70	32433	57
AHS (2012-13)			58.9		38.2				31.8

Gaps in ANC Registration :

ANC registration of dist. is 83 % although AHS 2012-13 showing ANC registration 58.9%. It shows there is improvement in the ANC registration for pregnant women.



ANC Registration in 1st trim. is 43% which is reported approx equal to AHS 12-13 i.e. 38.2%. The ANC registration in first trimester is very poor for Nathnagar and Belharkala i.e. 37% and 27% respectively.

% of ANC received 3 ANC checkup is 57% which is more than that of AHS 12-13(31.8%). 89% of ANC check ups are conducted at SC level.



Sant Kabir Nagar - Delivery Services Reported in HMIS during FY 2016-17 (April-March)

Delivery Services, trends, distribution and progress



Block	Proportionate Estimated deliveries	Total number of Home Deliveries	Deliveries conducted at facility	Total number of Deliveries (Home+Institution)	% delivery reported	% of delivery missed in reporting	% of institutional deliveries among reported delivery	% of institutional deliveries among estimated delivery	Of which Number discharged under 48 hours of delivery	% of delivered women discharged within 48 hours	JSY incentive paid to Mothers	% of JSY incentive paid to mothers
DHQ	1427	0	318	318	22		100	22.3	164	52	15	5
Bghouli	6219	1472	3158	4630	74	26	68	51	1377	44	2829	90
Haisar Bazar	5861	866	3275	4141	71	29	79	56	3034	93	2490	76
Khililabad	8085	967	5808	6775	84	16	86	72	2216	38	4235	73
Mehadawal	5685	231	3950	4181	74	26	94	69	3094	78	3615	92
Nathnagar	6360	717	3370	4087	64	36	82	53	3314	98	2560	76
Semariyawa	7234	664	6316	6980	96	4	90	87	3787	60	5275	84
Santha	4524	713	2786	3499	77	23	80	62	1873	67	2189	79
Pouli	3199	330	1759	2089	65	35	84	55	1416	81	1279	73
Belaharkala	3977	290	898	1188	30	70	76	23	872	97	806	90
Grand Total	52570	6250	31638	37888	72	28	84	60	21147	67	25293	80
AHS (2012-13)								53.6		90.5		71.7



Gaps in Deliveries :-

- 72 % deliveries reported against the total estimated deliveries, 28% of deliveries are missing which need to be checked. Home delivery reporting is only 12% which indicates the reporting of Home delivery at subcenter level is poor. As there is no L2 and L3 facilities in Belharkala, Most of the deliveries of these blocks are happening in other near blocks such as Baghauli and Mehdawal which apparently increasing the % of missing deliveries for same, 72% of deliveries are missing in Belharkala.
- 84 % deliveries are reported as institutional out of total deliveries and 57% among estimated delivery which is approximately near to AHS 2012-13 reported 53.6%.
- 67 % mothers discharge under 48 hrs of delivery in district and it is due to the reason that most of the deliveries are being conducted at Sub centers.
- JSY payment is 80% of the district. Pouli and DHQ have done very less JSY payment to the beneficiaries which are lowest among all blocks, it is decreasing the average of the district as whole.

	>100%
	>80, <=100
	>=50, <=80
	<50

Discharged under 48 hours		
	>50	<=50, <=80
		<80

Sant Kabir Nagar -High Risk Pregnancies Services Reported in HMIS during FY 2016-17 (April-March)
High risk PW reporting trends, distribution and progress



Block	Total number of pregnant women Registered for ANC	Number having Hb level<11 (tested cases)	% of having Hb level <11	Number having severe anaemia (Hb<7) treated at institution	% of severe (Hb <7) anemia treated rate at institution	Pregnant women with Hypertension (BP>140/90) : New cases	% of PW with hypertension
DHQ	627	542	34.2	0	0.0	51	3.2
Bghouli	5316	2368	35.0	0	0.0	81	1.2
Haisar Bazar	6040	3600	56.4	51	0.8	62	1.0
Khililabad	6657	1797	20.4	88	1.3	91	1.0
Mehadawal	4800	2982	48.2	50	1.0	146	2.4
Nathnagar	5191	2894	41.8	0	0.0	44	0.6
Semariyawa	7557	1441	18.3	40	0.5	1919	24.4
Santha	5061	1375	27.9	0	0.0	157	3.2
Pouli	3033	1376	39.5	0	0.0	9	0.3
Belaharkala	3536	801	18.5	0	0.0	684	15.8
Grand Total	47818	19176	33	229	0.5	3244	6

Gaps in HRP :



- Treatment of severe anaemic pregnant women is less than 1% for the district whereas 5 blocks are not reporting . In Belharkala ,There is no Block PHC/CHC. So there high risk pregnant women could not be treated.
- Hypertensive cases are very less reported in all blocks except Semariyawa.Only 6 % of pregnant women with hypertension are reported for the district.

Sant Kabir Nagar C-Section and Complication treated

S. No.	Block	Institutional Delivery	Preg. with Compl. Attended at facilities	% Preg. with Compl. Attended at facilities	Complications Treated with				C- section conducted				% of C-Section performed
					IV Antibiotics	IV Antihypertensive/ Magsulph Inj.	IV Oxytocics	Blood Transfusion	DH	CHC	PHC	Others	
1	Semariyawa	6316	455	7	103	186	189	0	0	200	48	0	4
2	DHQ	318	60	19	104	10	48	0	0	0	0	0	0
3	Haisar Bazar	3275	103	3	102	68	107	0	0	76	0	0	2
4	Khililabad	5808	1877	32	1606	145	1718	25	190	306	0	0	9
5	Mehadawal	3950	517	13	486	59	166	0	0	24	0	0	1
6	Nathnagar	3370	254	8	204	17	37	0	0	5	4	0	0
7	Santha	2786	156	6	125	2	1017	0	0	0	0	0	0
8	Pouli	1759	72	4	0	0	0	0	0	0	0	0	0
9	Belaharkala	898	0	0	0	0	0	0	0	0	0	0	0
10	Grand Total	28480	3494	10	2730	487	3282	25	190	611	52	0	3.0

Sant Kabir Nagar - Child Services Reported in HMIS during April-March 2016-17


Child care services trends, distribution and progress





Block	Total Live Births	Still Birth	% of still birth	Number of Newborns weighed at birth	% of newborns weighed at birth	Number of Newborns having weight less than 2 and half kg	% of newborns having < 2.5 kg	Number of Newborns breast fed within 1 hour	% of newborns breast fed within 1 hour
DHQ	317	2	0.6	316	99.7	21	6.6	313	98.7
Bghouli	4580	52	1.1	3885	85	275	7.1	3885	85
Haisar Bazar	4074	66	1.6	4044	99	295	7.3	4058	100
Khlilabad	6653	156	2.3	5998	90	409	6.8	5665	85
Mehadawal	4127	58	1.4	4128	100	197	4.8	4128	100
Nathnagar	4046	63	1.5	3957	98	293	7.4	3949	98
Semariyawa	6951	60	0.9	6375	92	200	3.1	6251	90
Santha	3434	74	2.1	3423	100	121	3.5	3364	98
Pouli	2098	31	1.5	2058	98	190	9.2	2019	96
Belaharkala	1165	23	1.9	1146	98	34	3.0	1146	98
Grand Total	37445	585	1.5	35330	94	2035	5.8	34778	93
AHS (2012-13)					25.1		13		27.9

Gaps in Child care :

- 15 still births are reported from the dist. per 1000 live births. Khalilabad reported highest no. of still births in district.
- 93% births are reported as breast fed within 1 hours of births, it shows that the early initiation of breast feeding has been improved in the district over the years.
- 94% children weight at birth and of which 6% are having low birth weight.



Sant Kabir Nagar - Immunisation Services Reported in HMIS during April-March 2016-17
Child Immunization trends, Distribution and progress




Block	Est. live birth	Total Live Births	Number of Infants 0 to 11 months old who received BCG	% of Infants 0 to 11 months old who received BCG	Number of Infants 0 to 11 months old who received OPV 0	% of Infants 0 to 11 months old who received OPV 0	Number of Infants 0 to 11 months old who received Hepatitis-	% of Infants 0 to 11 months old who received Hep B 0	Number of Infants 0 to 11 months old who received Measles	% of Infants 0 to 11 months old who received Measles	children 9 and 11 months fully immunized (BCG+DPT123+ OPV1:Total	% of children 9 and 11 months fully immunized
DHQ	1368	317	547	40	214	15.6	38	12	518	38	488	36
Bghouli	5644	4580	5012	89	2269	40	2269	40	4534	80	4534	80
Haisar Bazar	5319	4074	6121	115	2403	45	1446	27	4596	86	4594	86
Khililabad	7338	6653	6917	94	2763	38	2016	27	5335	73	5308	72
Mehadawal	5160	4127	4835	94	2282	44	1918	37	3806	74	3804	74
Nathnagar	5772	4046	4384	76	1772	31	1560	27	3711	64	3674	64
Semariyawa	6566	6951	6272	96	2382	36	1194	18	4345	66	4339	66
Santha	4106	3434	4589	112	1644	40	1186	29	3825	93	3826	93
Pouli	2903	2098	2496	86	147	5	136	5	2103	72	2101	72
Belaharkala	3609	1165	3276	91	16	0	96	3	2821	78	2808	78
Grand Total	47786	37445	44449	93	15892	33	11859	25	35594	74	35476	74

Gaps in Immunization :

According to HMIS report 74% of children are fully immunized.


No. of Live births and BCG given not corresponding in most of the blocks as per the table and reporting aprox. greater than live births. It signals that there may be less no. of live births reported in these blocks Therefore strengthening of reporting live births especially home deliveries need to be addressed as reporting of home deliveries is only 10% for the district.

The % of OPV Odose is 33% of the district , lowest being in Belharkala and Pauli i.e 0 and 4 respectively. Usually BCG, OPV0 and Hepatitis B0 doses are given at birth time but reporting shows all three are not given at the time of birth even at DH and CHCs, it is showing service gap at facility and need for focussed monitoring.




Sant Kabir Nagar - Family Planning Services Reported in HMIS during April-March 2016-17
Family planning trends Distribution and progress

Number of Family planning users against need by month



Block	Potential unmet need for limiting method	Male Sterilization	Female Sterilization	% achivement for limiting method	Potential unmet need for spacing method	new IUD Insertions	Condom Users	Oral Pills Users	% achiveme nt for spacing method	Total need for family planning	% of Total family planning service provided
Bghouli	5569	0	0	0.00	4158	1291	651	267	53	17820	12
Haisar Bazar	5248	0	214	4.08	3919	552	736	384	43	16794	11
Khililabad	7240	26	938	13.31	5406	2217	953	432	67	23169	20
Mehadawal	5091	0	419	8.23	3801	758	692	288	46	16290	13
Nathnagar	5695	0	185	3.25	4252	447	658	185	30	18225	8
Semariyawa	6478	0	50	0.77	4837	616	699	451	37	20730	9
Santha	4051	0	8	0.20	3025	967	1252	360	85	12963	20
Pouli	2864	0	0	0.00	2139	209	401	502	52	9166	12
Belaharkala	3561	0	0	0.00	2659	136	368	130	24	11395	6
Grand Total	45797	26	1815	4	34195	7193	6410	2998	49	146551	13

Percent Distributions of new IUD insertions by facility type



Gaps in Family planning :


Female sterilization has been conducted in 5 blocks except Bghouli, Semariyawa, and Pouli.

Proper counselling for Spacing method need to be given to the beneficiaries by the FLWs to improve the uptake for same by the expected no. of beneficiaries.

Only 9% of IUCD insertion is done at PHC level which is very low, Need of PHC strengthening to improve the services. Majority of IUCD insertions are taking place in Subcenters.

Only 13% of total family planning services provided in the district.

The achievement for spacing method is 49% in the district. Santha and Pouli blocks are performing better in terms of spacing method of family planning.



List of Indicators covered in HMIS and MCTS

S.No.	Domain	Indicator	Numerator	Denominator	Page no.
1	MCTS	% of mother registered in MCTS against estimated	Total # Mother registered in MCTS	Estimated Pregnancies	3
2	MCTS	% Children registered against estimated	Total # Children registered in MCTS	Estimated live births	3
3	MCTS	% High risk PW reported in MCTS	Sum of pregnant women having hb<7 and any other maternal complication	Total # Registered Mothers in current year	3
4	MCTS	% of Mother received ANC 3 against registered PW with LMP 2014-15	Mother (LMP 2015-16) received ANC 3	Total # pregnant women registered with LMP in 2015-16	3
5	MCTS	% of PW delivered against registered with LMP in 2014-15	Total # Pregnant women (LMP 2015-16) delivered	Total # pregnant women registered with LMP in 2015-16)	3
6	MCTS	% of children received full immunization against children registered in 2014-15	Total # children (DoB 2015-16) received full immunization	Total # Children (DoB 2015-16) registered	3
7	ANC	% of ANC registered to estimated Pregnancy	Total # ANC Registered	Estimated Pregnancy	4
8	ANC	% of ANC registered within 1st trimester	Total # ANC Registered within 1st trim	Total # ANC Registered	4
9	ANC	% of ANC received TT2/Booster	Total # Pregnant women received TT2/Booster	Estimated Pregnancy	4
10	ANC	% of ANC received 3ANC checkups	Total # pregnant women received 3 ANC check ups	Estimated Pregnancy	4
11	Delivery	% delivery reported	Total # Delivery reported	Estimated Delivery	5
12	Delivery	% of Unreported (Missing) Delivery	Total # Delivieri not reported	Estimated Delivery	5
13	Delivery	% of institutional deliveries among estimated delivery	Total # Institutional Delivieri	Estimated Delivery	5
14	Delivery	% of delivered women discharged within 48 hours	Total # Delivered women discharged within 48 hours	Tota # Deliveries conducted at facility	5
15	Delivery	% of JSY incentive paid to mothers	Total # JSY Incentives paid to mothers	Tota # Deliveries conducted at facility	5
16	HRP	% of having Hb level <11	Number having Hb level<11	Estimated Pregnancy	6
17	HRP	% of severe (Hb <7) anemia treated rate at institution	Total # Severe (Hb <7) anemia treated at institution	Total # ANC Registered	6
18	HRP	% of PW with hypertension	Total # Pregnant women with Hypertension (BP>140/90)	Estimated Pregnancy	6
19	HRP	Abortion rate	Total # Abortion (spontaneous/induced)	Sum of Live birth, Still birth & Abortion	6
20	HRP	% Pregnant women having Obstetric complication attend at facility	Total # Pregnant women having Obstetric complication attend at facility	Total number of deliveries conducted at public facilities	
21	Child Care	% of Still birth	Total # Still Birth	Sum of Live birth & Still birth	7
22	Child Care	% of newborns weighed at birth	Number of Newborns weighed at birth	Total # Live Births	7
23	Child Care	% of newborns having weight < 2.5 kg	Total # newborns having weight < 2.5 kg	Total # Live Births Weighed	7
24	Child Care	% of newborns breast fed within 1 hour	Total # newborns breast fed within 1 hour	Total # Live Births	7
25	Immunization	% of Infants 0 to 11 months old who received BCG	Total # Infants 0 to 11 months old who received BCG	Total # Estimated Births	8
26	Immunization	% of Infants 0 to 11 months old who received OPV 0	Total # Infants 0 to 11 months old who received OPV 0	Total # Estimated Births	8
27	Immunization	% of Infants 0 to 11 months old who received Hep B 0	Total # Infants 0 to 11 months old who received Hep B 0	Total # Estimated Births	8
28	Immunization	% of Infants 0 to 11 months old who received Measles	Total # Infants 0 to 11 months old who received Measles	Total # Estimated Births	8
29	Immunization	% of children 9 and 11 months fully immunized	Total # children 9 and 11 months fully immunized	Total # Estimated Births	8
30	Family Planning	% achivement for limiting method	Total # Sterilization (Male & Female)	Potential unmet need for limiting method	9
31	Family Planning	% achivement for spacing method	Sum of IUCD and oral Pill users	Potential unmet need for spacing method	9
32	Family Planning	% of Total family planning service provided	Sum of Spacing and Limiting method's users	Potential unmet need for FP Method (Limiting & Spacing & Est Condom users &	9

District - Sant Kabir Nagar

Estimates for Year 2016-17

Block	Population	CBR	ANC	Delivery	Immunization	Family planning				
			Estimated Pregnant Women	Estimated deliveries	Estimated No. of Live births	Potential unmet need for limiting method	Potential unmet need for spacing method	Estimated Condom Users	Estimated Traditional Method Users	Total current need for FP # Yearly
DHQ	0	0.0	1585	1427	1368	0	0	0	0	0
Bghouli	226369	27.2	6773	6219	6157	5569	4158	3118	8093	17820
Haisar Bazar	213333	27.2	6383	5861	5803	5248	3919	2939	7627	16794
Khililabad	294317	27.2	8806	8085	8005	7240	5406	4055	10522	23169
Mehadawal	206933	27.2	6191	5685	5629	5091	3801	2851	7398	16290
Nathnagar	231515	27.2	6927	6360	6297	5695	4252	3189	8277	18225
Semariyawa	263337	27.2	7879	7234	7163	6478	4837	3628	9415	20730
Santha	164674	27.2	4927	4524	4479	4051	3025	2269	5887	12963
Pouli	116439	27.2	3484	3199	3167	2864	2139	1604	4163	9166
Belaharkala	144753	27.2	4331	3977	3937	3561	2659	1994	5175	11395
Grand Total	1861670	27.2	57286	52570	52005	45797	34195	25646	66558	146551