

**LIST OF TABLES**

<b>Table No.</b>	<b>Title of the table</b>	<b>Page No.</b>
Table 1.1	Sample Coverage	I.5
Table 2.1	Socio-Economic characteristics	II.2
Table 2.2	Demographic characteristics of respondent	II 3
Table 2.3	Percent distribution of household according to basic housing amenities	II 4
Table 2.4	Household possessions, ownership of house, agriculture land livestock	II 6
Table 3.1	Percent of women who reported registration during last pregnancy by select background characteristics	III 2
Table 3.2	Percent of women who reported checkup during last pregnancy by select background characteristics	III 3
Table 3.3	Number of checkups and stage of pregnancy	III.4
Table 3.4	Percent of mothers who underwent different type of antenatal checkups	III.4
Table 3.5	Antenatal health care provider who did the checkups	III 5
Table 3.6	Consumption of 100 IFA tablets by education of mothers	III 6
Table 3.7	Percent of mothers who received IFA tablets/syrup by source	II 6
Table 3.8	Percent of women who received 2 or more TT injections during last pregnancy by select background characteristics	III 8
Table 3.8a	Full Antenatal care	III 8
Table 3.9	Percent of mothers who received TT injection by type of source	III 9
Table 3.10	Percent of women who received information about ANC checkups from ASHA or other health worker during last pregnancy by select characteristics	III 10
Table 3.11	Information given by ASHA or any health personnel for birth preparedness	III 12
Table 3.12	Percent of women who received Information about JSY from different sources	III 13
Table 3.13	Percent of women who received different type of information about JSY from ASHA	III 13
Table 3.14	Percent distribution of women by place of delivery according to some select background characteristics	III 15
Table 3.15	Percent distribution of women received assistance during delivery by different persons	III 16
Table 3.16	Percent of women reporting different reasons of not going for institutional delivery	III 17
Table 3.17	Percent distribution of women who underwent checkup after reaching at the Govt. health facility and time after which checkup was done	III 18
Table 3.18	Percent distribution of women by type of health personnel who conducted checkups after reaching the facility	III 18
Table 3.19	Percent of women who faced any service related problem during their stay at the Govt. health facility for delivery and type of problems faced	III 19
Table 3.20	Percent of women reporting different reasons for satisfaction with services for a delivery in a Govt. health facility	III 20

Table 3.21	Advice given by any health personnel during antenatal period or after delivery on immediate newborn care and other related issues	III 21
Table 4.1	Percent distribution of women by duration of initiation of breastfeeding after delivery according to place of residence	IV 1
Table 4.2	Percent of women who gave the child anything before initiation of breastfeeding	IV 2
Table 4.3	Percent of women by time duration of bathing of child after delivery	IV 2
Table 4.4	Percent of women by vaccination of child against BCG and Polio 0 Dose before discharge from health facilities after delivery	IV 3
Table 4.5	Percent of women by follow up visit and number of PNC visits by ASHA or any health worker within 6 weeks of delivery	IV 4
Table 4.6	Percent of women by type of advice/services received during PNC visits by ASHA or any health worker within 6 weeks of delivery	IV 4
Table 4.7	Percent of women by type of health complications faced within 6 weeks of delivery	IV 5
Table 4.8	Percent of women by type of health complications faced by child within 6 weeks of delivery according to place of residence	IV 6
Table 4.9	Percent of women who received family planning advice after delivery at the health facility	IV 7
Table 5.1	Percent of women reporting about arrangement of vehicle for delivery at Govt. health facility and person who arranged	V 1
Table 5.2	Percent of mothers who received the JSY incentive for delivering in a Govt. health facility	V 3
Table 5.3	Percent of women who received help from anyone in getting JSY incentive according to place of residence	V 4
Table 5.4	Percent of women who faced problems in getting JSY incentive according to place of residence	V 5
Table 5.5	Percent of women satisfied with benefits received under JSY according to place of residence	V 5
Table 5.6	Percent of women reporting different reasons for dissatisfaction	V 6
Table 5.7	Percent of BPL mothers by place of delivery	V.6
Table 5.8	Percent of women from BPL households reporting 'Home' deliveries received the JSY incentive	V 7
Table 5.9	Percent of BPL women reporting 'Home' deliveries received help from anyone in getting JSY incentive	V 7
Table 5.10	Percent of BPL women reporting 'Home' deliveries faced problems in getting JSY incentive	V 8
Table 5.11	Percent of BPL women reporting 'Home' deliveries dissatisfied	V 8
Table 6.1	Background Characteristics of ASHAs	VI 5
Table 6.2	Population covered by ASHA	VI 6
Table 6.3	Places/Occasions of Interactions with ANM	VI 7
Table 6.4	Purpose of Interaction with ANM	VI 7
Table 6.5	Number of women ASHA met at home during last one month	VI 8
Table 6.6	Issues on which ASHA counsels women	VI 9
Table 6.7	Advice given by ASHA to women during pregnancy	VI 9
Table 6.8	ASHAs reported accompanying pregnant women for ANC care	VI 10
Table 6.9	Advice to pregnant women or other family member about institutional delivery and its advantages by ASHA and ANM	VI 11

Table 6.10	10 Messages given to pregnant women on birth preparedness by ASHA and ANM	VI 11
Table 6.11	Advice given to women regarding timings of postnatal check ups	VI 12
Table 6.12	Percent of ASHAs having knowledge about immediate newborn care	VI 12
Table 6.13	Percent of ASHAs reporting type of health problems requiring referral during post natal period	VI 13
Table 6.14	Problems of newborn child for which refer them to health facility	VI 13
Table 6.15	Time taken before conducting preliminary checkup of a pregnant woman after reaching the health facility for delivery	VI 14
Table 6.16	Services provided to mothers and newborn after the delivery before discharge from the health facility	VI 15
Table 6.17	Problems faced by ASHAs for institutional deliveries at health facilities	VI 15
Table 6.18	ASHAs' and ANMs' role in helping women to avail JSY services	VI 16
Table 6.19	Role in conduct of institutional delivery	VI 16
Table 6.20	Problems faced in arranging transport facility to take women for delivery to health facility	VI 18
Table 6.21	Help provided to mothers in getting JSY incentive	VI 18
Table 6.22	Time taken in release of JSY incentive	VI 19
Table 6.23	Received full amount of JSY incentive for last financial year	VI 19
Table 6.24	Problems faced in getting JSY incentives	VI 20
Table 6.25	Reasons for preferring home delivery against institution delivery even when monetary benefits are given under JSY	VI 20

**LIST OF FIGURES**

Figure 3.1	Registration for any ANC services	III 1
Figure 3.2	100 IFA consumed	III 5
Figure 3.3	Percent of mothers who received TT injections	III 7
Figure 3.4	Percent of mothers who received 1 or more doses of TT	III 7
Figure 3.5	Information about ANC checkups given by ASHA and other workers	III 9
Figure 3.6	Information provided on pregnancy complications	III 11
Figure 3.7	Awareness about JSY and monetary incentives	III 12
Figure 3.8	Place of delivery	III 14
Figure 3.9	Type of Delivery	III 16
Figure 3.10	Percent of mothers satisfied with services at the Govt. health facility	III 19
Figure 3.11	Percent of mothers who would like to visit the facility again	III 20
Figure 3.12	Checkup of newborns by the doctor	III 21
Figure 4.1	Referral of mothers by ASHA who faced complications	IV 6
Figure 4.2	Percent of mothers whose child faced health problem within 6 weeks	IV 6
Figure 4.3	Referral by ASHA of child who faced complications	IV 7
Figure 5.1	Person who made payment for vehicle	V 2
Figure 5.2	Percent of women who received JSY incentive	V 2
Figure 5.3	Number of visits undertaken to receive the incentive	V 3
Figure 5.4	Percent of mother time duration in receipt of incentive after delivery	V 4
Figure 5.5	Problem faced in getting JSY incentive	V 5
Figure 5.6	Percent of BPL mothers satisfied with JSY incentive	V 8
Figure 6.1	Work status before joining as ASHA	VI 6
Figure 6.2	Number of years working in same village	VI 6
Figure 6.3	Frequency of interaction with ANM	VI 7
Figure 6.4	Place/Occasion to communicate with community members	VI 8
Figure 6.5	Number of home visits undertake in a day by ASHA	VI 8
Figure 6.6	Percent of ASHAs who accompany pregnant women for ANC	VI 10
Figure 6.7	Time taken to conduct preliminary checkup after reaching facility	VI 14
Figure 6.8	Person who arrange vehicle for delivery at the health facility	VI 17
Figure 6.9	Person who spent money for arranging vehicle	VI 17
Figure 6.10	Procedure followed in disbursement of JSY incentive	VI 19